






STABLE EMULSIONS, PREPARATION METHODS AND APPLICATIONS**Publication number:** WO9947589 (A1)**Publication date:** 1999-09-23**Inventor(s):** CREPEAU COLETTE [FR]; HOERNER PIERRE [FR]; RIESS GERARD [FR]**Applicant(s):** HUTCHINSON [FR]; CREPEAU COLETTE [FR]; HOERNER PIERRE [FR]; RIESS GERARD [FR]**Classification:**

- **international:** **A61F13/00; A61F13/10; A61L15/00; A61L15/24; A61L31/00; A61L31/04; C08J3/215; C08L101/00; A61F13/00; A61F13/10; A61L15/00; A61L15/16; A61L31/00; A61L31/04; C08J3/20; C08L101/00;** (IPC1-7): C08J3/215; A61L31/00




- **European:** A61L15/24; A61L31/04H; C08J3/215

Application number: WO1999FR00586 19990316**Priority number(s):** FR19980003234 19980317**Also published as:**

 US6391326 (B1)
 JP2002501572 (T)
 ES2228011 (T3)
 EP0981573 (A1)
 EP0981573 (B1)

more >>

Cited documents:

 WO9517453 (A1)
 EP0771837 (A1)
 XP002104880 (A)

Abstract of WO 9947589 (A1)

The invention concerns stable emulsions, a method for preparing said emulsions and the elastomer films containing them. Said stable emulsions of at least one chemical substance x in an elastomer solution, to be used for preparing an elastomer film, comprise (1) a phase A containing an elastomer dissolved in an organic apolar or slightly polar solvent a , wherein is dispersed (2) a phase B containing at least said chemical substance x , in solution or dispersed in a polar solvent b , non-miscible with phase A and (3) at least a dispersing agent selected from the group consisting of block or grafted polymers. Said emulsions are characterised in that the dispersed phase B droplets have a diameter $\geq 10 \mu m$; said emulsion comprises, for stabilising said dispersed phase B, besides at least one dispersing copolymer comprising poly A sequences, compatible with phase A and poly B sequences compatible with phase B, at least a particulate stabiliser selected from the group consisting of solid organic compounds of dimension ranging between 30 nm and $10 \mu m$ or solid mineral compounds of dimension ranging between 5 nm and $10 \mu m$, whereof the surface state is organophilic; the mass fraction ϕ_B of the dispersed phase (phase B) in the emulsion ranges between 0.01 and 0.2; the mass fraction of block or grafted copolymers, ϕ_{CD} , expressed relative to dispersed phase B ranges between 0.001 and 0.3, preferably between 0.01 and 0.2 and the mass fraction of particulate stabiliser (SP), ϕ_{SP} , expressed relative to dispersed phase B ranges between 0.001 and 0.5.

Data supplied from the **esp@cenet** database — Worldwide